FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending 30th September 1940.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
2s	22,396	16½s	7,620	44s	5,421
4s	18,456	18s	4,379	50s	998
6s	1,584	19s	59,650	60s	162
6½s	37,573	20s	253,851		
8s	22,813	20½s	32,595		
8½s	113,182	21s	168,738		
9s	1,499	22s	71,320		
10	3,461	24s	183,318		
10½	239,305	26s	9,984		
11s	173,205	27s	664		
12s	16,856	28s	20,751		
12½s	62,946	30s	60,445		
13½s	15,080	32s	40,867		
14s	283,819	36s	59,259		
14½s	29,620	38s	1,137		
15s	24,736	40s	2,9502		
16s	35,149	42s	4,416	Total ...	2,116,747

BANGALORE,
Dated 2nd December 1940.

V. VENKATACHAR,
For *Director*.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, NOVEMBER 28, 1940.

A total of 27 attacks with 20 deaths from Plague was returned during the week against 20 attacks with 11 deaths in the previous week. Cities of Bangalore and Mysore and Kolar Gold Field Area continued to remain free from the disease. Comparative figures for the corresponding weeks in 1939 and 1938 were 31 attacks with 17 deaths and 48 attacks with 27 deaths, respectively.

A total of 5 attacks with 4 deaths from Small-pox were reported from one village in Nanjangud Taluk and in Bangalore City.

A fatal case from Influenza was reported from the City of Mysore.

The State remained free from Cholera and Relapsing Fever.

The total mortality for Bangalore City amounted to 107 (27 in hospitals), representing a calculated death-rate of 25·0 (18·7 excluding hospital deaths) per mille of population as against 34·0 for the corresponding week of last year. Classified according to causes, the deaths numbered 2 under Small-pox; 1 under Malaria, 3 under Typhoid, 5 under Phthisis, 32 under Dysentery and Diarrhœa and 64 under all other causes. The reported mortality was normal.

During the week, the Civil and Military Station, Bangalore, reported 67 deaths (6 in hospitals), representing a calculated death-rate of 20·5 (21·4 excluding hospital deaths) per mille of population as against 36·1 for the corresponding week of last year. Classified according to causes, the deaths were Plague 1, Broncho-Pneumonia 2, Pneumonia 2, Phthisis 2, Dysentery and Diarrhœa 10 and all other causes 50. The reported mortality was normal.

The total mortality for Mysorr City was 54 (18 in hospitals), representing a calculated death-rate of 21·8 (14·5 excluding hospital deaths) per mille of population as against 31·6 for the corresponding week of last year. Classified according to causes, the deaths were Malaria 3, Other Fevers 3, Phthisis 6, Dysentery and Diarrhœa 6, and all other causes 36. The reported mortality was low.

There were 45 deaths (6 in hospitals), from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 28·3 (24·5 excluding hospital deaths) per mille of population as against 52·7 for the corresponding week of last year. Classified according to causes, the deaths numbered 1 under Malaria, 3 under Other Fevers, 3 under Desentery and Diarrhoea and 38 under all other causes. The reported mortality was normal.

E. R. SUNDARARAJAN,
For *Director*.